

## 7.0 REFERENCES

- Abrera, B.1982. Butterflies of the Oriental Region Part I. Hill House, Melbourne.
- Abrera, B. 1985. Butterflies of the Oriental Region Part II. Hill House, Melbourne.
- Abrera, B.1986. Butterflies of the Oriental Region Part III. Hill House, Melbourne.
- Adams, C.J., C.A. Beasley and T.J. Henneberry. 1995. Effects of temperature and wind speed on pink bollworm (Lepidoptera: Gelechiidae) moth captures during spring emergence. *J.Econ. Entomol.* 88(5): 1263-1270.
- Adler, P.H. and D.L. Pearson. 1982. Why do male butterflies visit mud puddles? *Canadian Journal of Zoology.* 60: 322-325.
- Agarwala BK, Roy Choudhury S, Roy Chaudhury P. 2010. Species richness and diversity of butterflies in urban and natural locations of north-east India. *Entomon* 35: 87–91.
- Alfred JRB, Das AK, Sanyal AK. 2002. *Ecosystems of India*. ENVIS- Zoological Survey of India.
- Aluri JSR, Rao SP.2002.Psychophily and evolution consideration of *Cadaba fructicosa* (Capparaceae). *Journal of the Bombay Natural History Society* 99:59-63
- Ambrose, D.P. 2005. The Insects: Structure, Function and Biodiversity, Kalyani Publishers, New Delhi.820.
- Ambrose, D.P. and D. Senthil Raj. 2005. Butterflies of Kalakad Mundanthurai Tiger Reserve, Tamil Nadu. *Zoo's Print Journal.* 20(12): 2100-2107.
- Ananthakrishnan, T.N. 2000. Changing land scapes, ecodiversity and insect Faunal Dynamics; The Tenmali (Western ghats) experience. *Current Science* (Banglore). 78(4): 387-390
- Arun, P.R. 2002. Butterflies of Siruvani forest of Western Ghats, with notes on their seasonality. *Zoo's Print. J.* **18(2)**: 1003-1006.
- Arun, P.B. and P.A. Azeez. 2003. On the butterflies of Puyankutty forest, Kerala, India, *Zoo's Print. J.* 18(12): 1276-1279.

- Asher. J., M. Warren and R. Fox. 2001. The millennium atlas of butterflies in Britain and Ireland. Oxford University Press Oxford. 433.
- Asaithambi, P., N. Baskar and N.J. Rao. 1998. Butterflies of Arignar Anna Zoological Park. Madras. *Zoos' Print*. (October issue): 7.
- Atanu Bora, L.R. Meitei Diversity of butterflies (Order: Lepidoptera) in assam university campus and its vicinity, cachar district, assam, India. *Department of Life Science and Bioinformatics, Assam University, Silchar- 788 001, Assam, India Article published on September 25, 2014*
- Bartlett, R., J. Pickering, I. Gauld and D. Windsor. 1999. Estimating global biodiversity: Tropical beetles and wasps send different signals. *Ecol. Entomol.* 24: 118-121.
- Baruah, K.K., D.Kakati and J.Kalita. (2004). Present status of Swallowtail Butterflies in Garbhanga Reserve Forest, Assam, India. *Zoo's Print Journal* 19(4):1439-1441.
- Baruah, A. (1988). A study on some ecological aspects of the insects damaging Medicinal plants. Unpublished Ph. D. Thesis, Guwahati University, Guwahati, Assam, India pp 297.
- Beccaloni, G.W. and K.J. Gaston. 1995. Predicting the species richness of Neotropical forest butterflies. *Ithomiinae* (Lepidoptera: Nymphalidae) as indicators. *Biological Conservation*. 71: 77-86.
- Beccaloni, G.W. 1997. Vertical stratification of the ithomiine butterfly (Nymphalidae: Ithomiinae) mimicry complexes : The relationship between adult flight height and larval host plant higher. *Biol. J. Lin. Soc.* 62: 313-341.
- Berryman, A.A. 1986. On the dynamics of black headed budworm populations. *Can. Entomol.* 118(8): 775-779.
- Bergerot B, Fontaine B, Julliard R, Baguette M (2011) Landscape variables impact the structure and composition of butterfly assemblages along an urbanization gradient. *Landscape Ecol* 26:83–94
- Betts, F.N. (1950). On the collection of Butterflies from the Balipara Frontier tract and the Subansiri Area (Northern Assam). *Jour. Bombay Nat.Hist.Soc.* 49: 488-502.

- Bhattacharaya, D.P. 1985. Insect: Lepidoptera Part I, Papilionidae, Rec.Zoo. Surv.India 82 (1-4):73-82pp.
- Blair RB, Launer AE. 1997. Butterfly diversity and human land use: species assemblages along an urban gradient. Biological Conservation 80:113e125
- Bingham, C.L. (1905).The fauna of British India including Ceylon and Burma, Butterfly-Vol.I, Taylor and Francis Ltd., London. 511pp.
- Bingham, C.L. (1907). The fauna of British India including Ceylon and Burma, Butterfly- Vol-II. Taylor and Francis Ltd., London.453pp.
- Boggs, C.L. 2003. Environmental variation, life histories, and allocation. Butterflies Ecology and Evolution Taking Flight (eds C.L. Boggs, W.B. Watt and P.R. Ehrlich), PP.185 – 206, University of Chicago Press, Chicago.
- Boggs, C.L. 2003. Environmental variation, life histories, and allocation. Butterflies Ecology and Evolution Taking Flight (eds C.L. Boggs, W.B. Watt and P.R. Ehrlich), PP. 185 – 206, University of Chicago Press, Chicago.
- Bonebrake TC, Ponisio C, Boggs CL, *et al.*, 2010. More than just indicators: a review of tropical butterfly ecology and conservation. Biological Conservation 143:1831e1841.
- Borthakur, M. 1986. Weather and climate in N.E. India. Northeastern Geographer, 18(1&2) : 20-27.
- Bosque, L.A.A.D. and A.M. Estala. 1994. Seasonal abundance of *Diabrotica balteata* and other *Diabroticina* beetles (Coleoptera : Chrysomeliade) in Northeastern. Mexico, *Environ. Entomol.* 23(6): 1409-1415.
- Bowers, M.D., I.L. Brown and D.D. Wheye. 1985. Bird predation as a selective agent in a butterfly population. *Evolution.* 39: 93-103.
- Butler, a.G. (1879). On a collection of Lepidoptera from Cachar. *Transactions of the Entomological Society of London* 1879: 1–8.
- Butler, L., V. Kondo, E.M. Barrows and E.C. Townsend. 1999. Effects of weather conditions and trap types on sampling for richness and abundance of forest Macrolepidoptera. *Environ Entomon.* 29(4): 788-794.

- Butler, L. and J. Strazanac. 2000. Occurrence of Lepidoptera on selected host trees in two central Appalachian national forests. *Ann. Ent. Soc. Am.* **93(3)**: 500-511.
- cantlie, K. (1952). More butterflies of the Khasi and Jaintia Hills, Assam. *Journal of the Bombay Natural History Society* 51: 42–60.
- cantlie, K. (1956). Hesperiidae of Khasi and Jaintea Hills. *Journal of the Bombay Natural History Society* 54: 212– 215.
- Chai, P. and R.B. Srygley. 1990. Predation and the flight, morphology, and temperature of neotropical rain – forest butterflies. *American Naturalist*. **135**: 748 – 756.
- Chakravarthy, A.K.D.Rajagopal and R.Jagannatha; Insects as bio-indicators of conservation in the tropics. Zoo"s Print J., 12, 21-25(1997).
- Chapman, R.F. (1973). The Insects: Structure and Function. The English Language Book Society and the English Universities Press Ltd. London.
- Chaudry, Z.A. and M.A. Alikhan. 1996. Effects of temperature and relative humidity on the development and the fecundity of the red pumpkin beetle, *Aulacophora foveicollis* Lucas (Chrysomelidae:Coleoptera). *Indian. J. Em.* **52(2)**: 274-278.
- Clark PJ, Reed JM, Chew FS(2007) Effects of urbanization on butterfly species richness, guild structure, and rarity, *Urban Ecosyst* 10:321-337
- Clausen, H.D., B.H. Holbeck and J. Reddersen. 2001. Factors influencing abundance of butterflies and burnet moths in the uncultivated habitats of an organisms in Denmark *Biologicals Conservation*. 98: 167-178.
- Clench, H. K. (1967). Temporal association and population regulation in eastern Hesperiine Butterflies. *Ecology* 48: 1000-1006.
- Corbet, A.S. and H.M. Pendlebury. 1992. The Butterflies of the Malay Peninsular, 4th edn. Malayan Nature Society, Kaala Lumpur.
- Daily, G.C. and P.R. Ehrlich. 1995. Presentation of biodiversity in small rain- forest patches: rapid evaluations using butterfly trapping. *Biodiversity and Conservation*. 4: 35- 55.
- Danks, H.V. 1993. Patterns of diversity in the Canadian insect fauna. *Mem. Ent. Soc. Can.* **165**: 51-74.

- Das, P.C. (1973). Working plan for the South Kamrup forest division , Assam , Office of the D.F.O., East Kamrup , 1-58.
- de Niceville, L. (1886). The butterflies of India, Burma and Ceylon.Vol-II. Nymphalidae, Lemoniidae, Libythaeinae, Nemeobinae. The Calcutta Central press Co.Ltd.332pp.
- de Niceville, L. (1890). The butterflies of India, Burma and Ceylon.Vol-III (Lycaenidae).The Calcutta Central press co.Ltd.503pp.
- Dolia, J., M.S. Devy, N.A. Aravind and A. Kumar. 2008. Adult butterfly communities in coffee plantations around a protected area in the Western Ghats, India. *Anim.Consesu.* 11: 26-34.
- Dover, J.W. 1996. Factors affecting the distribution of satyrid butterflies on arable farm land. *Journal of Applied Ecology.* 33: 723-734.
- Dover, J.W., T.H. Sparks and J.N. Greatorex-Davies. 1997. The importance of shelter for butterflies in open landscapes. *Journal of Insect Conservation.* 1: 89-97.
- Dover, J.W., T. Sparks, S. Clarke, K. Gobbett and S. Glossop. 2000. Linear features and butterflies: the importance of green lanes. *Agriculture, Ecosystems and Environment.* 80: 227-242.
- Edwin, J. 1997. Distribution, diversity and population dynamics of chosen insects in the Courtallam tropical evergreen forest. Ph.D. Thesis, Madurai Kamaraj University, Madurai. 287.
- Ehrlich, P.R, Raven, P.H., 1964. Butterflies and plants: A study in coevolution. *Evolution* 18(4): 586-608.
- Ehrlich PR, Hanski I. 2004. On the wings of checkerspots: a model system for population biology. Oxford: Oxford University Press. p. 408
- Emmet, A.M. and J. Heath. 1990. The Butterflies of Great Britain and Ireland vol.7 Part 1. Harley books. Colchester. 370.
- Eswaran, R. and P. Pramod. 2005. Structure of butterfly community of Anaikatty hills, Western Ghats, *Zoo's Print. J.* 20(8): 1939-1942.
- Evans WH. 1932. The identification of Indian butterflies. Bombay: Bombay Natural History Society. p. 464.

- Feltwell, J, 1986. The Natural History of Butterflies. Groom Helem Ltd. Provident House, Bureel Row, Beckenham Kent BR3 IAT, 133PP..
- Gerell, R. 1997. Management of road side vegetation : Effects on density and species diversity of butterflies in Scania, South Sweden, *Entomo Tidskr.* 118: 171-176.
- Gaonkar H. 1996. Butterflies of Western Ghats with notes on those of Sri Lanka. A Report to the Center of Ecological Sciences. Indian Institute of Science, Bangalore, Zoological Museum, Copenhagen and Natural History Museum, London, UK.
- Gilbert, L.E. 1984. The biology of butterfly communities. *The biology of butterfly.* 41 - 54.
- Grimm NB, Faeth SH, Golubiewski NE, Redman CL, Wu J, Bai X, Briggs JM (2008) Global change and the ecology of Cities. *Sciences* 319:756–760
- Garraway, E. and B.E. Freeman. 1990. The population dynamics of Ipsgrandicollis (Eichhoff) (Coleoptera : Scolytidae) in Jamaica *Can. Entomol.* 122: 217-227.
- George SL, Crooks KR (2006) Recreatin and large mammal activity in an urban nature reserve. *Biol Conserv* 133:107–117
- George, C.S., W.L. Murphy and E.M. Hoover. 1986. Insects and mites : Techniques for collection and preservation. USDA, Miscellaneous Pub. 103.
- Gunathilagaraj, K., M.G. Kumar and P.T. Ramesh. 1997. *Butterflies of Coimbatore. Zoos' Print.* 12: 26-27.
- Gullan, P.J. and P.S. Cranston. 2000. The insect: An outline of Entomology. (Second edition) *Blackwell Science*, USA. 470.
- Gutierrez, D, Mendez, R, 1995. Phenology of butterflies in a mountain area in northen Iberian Peninsual. *Ecography* 18: 209–2196.
- Hamer, K,C., J.K. Hill, L.A. Lace and A.M. Langan. 1997. Ecological and biogeographical effects of forest disturbance on tropical butterflies of Sumba, Indonesia. *J.Biogeog.* 24(1): 67-75.
- Hamer AJ, McDonnell MJ (2008) Amphibian ecology and conservation in the urbanizing world: a review. *Biol Conserv* 141:2432–2449

- Hammond, P.C. and J.C. Miller. 1998. Comparison of the biodiversity of Lepidoptera within three forested ecosystems. *Ann. Entomol. Soc. Am.* **91(3)**: 323-328.
- Haribal, M. (1992). The Butterflies of Sikkim Himalaya. Sikkim Nature Conservation Foundation (SNCF), Gangtok. Pp. 1-217.
- Haribal, M.(1998). The Butterfly of Sikkim Himalaya and their natural history. Sikkim Natural Conservation Foundation, Gangtok, India. 217pp.
- Harrington R, Stork NE. 1995. Insects in a changing environment. London: Academic Press. pp. 431e439
- Hawkins, B.A, Porter, E.E, 2003. Does herbivore diversity depend on plant diversity? The case of California butterflies. *Am Nat* 161:40–49.
- Hellmann, J.J. 2002. The effect of an environmental change on mobile butterfly larvae and the nutritional quality of their hosts. *The Journal of Animal Ecology*. **71**: 925-936.
- Hill, J.K., K.C. Hamer, L.A. Lace and W.M.t. Bahham. 1995. Effects of selective logging on tropical forest butterflies on Buru, Indonesia. *Journal of Applied Ecology*. **32**: 754 -760.
- Hill, J.K. and K.C. Hamer. 1998. Using species – abundance models as indicators of habitat disturbance in tropical forests. *Journal of Applied Ecology*. **35**: 458-464.
- Hill, JK, K. C. Hamer, M. M, Dawood, J. Tangah and V. K, Chey (2003). Rainfall but not selective logging affects changes in abundance of a tropical forest butterfly in Sabah, Borneo. *Journal of Tropical Ecology*. **19**: 35-42.
- Holl, K.D. 1995. Nectar resources and their influence on butterfly communities on reclaimed coal surface mines. *Restoration Ecology*. **3**: 76-85.
- Holl, K.D, 1996. The effect of coal surface mine reclamation on diurnal lepidopteran conservation. *J Appl Ecol* **33**:225–236.
- Human, K.G., S. Weiss, A. Weiss, B. Sandler and D.M. Gordon. 1998. Effects of abiotic factors on the distribution and activity of the invasive Argentinean and (Hymenoptera : Formicidae) *Environ. Entomol.* **27(4)**: 822-833.
- Igarashi, S. and H. Fukuda. 2000. The Life Histories of Asian Butterflies, Vol. II Tokai University Press, Tokyo. 742.

- Imai C (2004) Ecological approaches for improvement of biological diversity in Osaka City, central Japan. *Osaka and its Technol* 44:13–22
- Irulandi, S. and G. Blasubramanian. 1999. Effect of weather parameters on galerucid beetle *Madurasia obscurella* (Jacoby) (Galerucidae: coleoptera) and stemfly *Ophiomyia phaseoli* (Tryon) (Agromyzidae: Diptera) on greengram. *Ins. Envir.* 5(1): 8-9.
- Jainulabdeen Shaik and Prasad, S.K. 2004. Severe infestation of cabbage butterfly, *Pieris brassicae* (Linnaeus) on six species of Brassica effect of abiotic factors on its population dynamics *Journal of Entomological Research*, 28: 193-197.
- Janzen, D.H. 1973. Sweep samples of tropical foliage insects: Effects of seasons, vegetation types, elevation, time of day and insularity. *Ecology*. 54(3): 687-706.
- Joydeb Majumder, Rahul Lodh, B. K. Agarwala Butterfly species richness and diversity in the Trishna Wildlife Sanctuary in South Asia Ecology & Biodiversity Laboratories, Department of Zoology, Tripura University, Suryamaninagar, 799022, Tripura, India
- Kakati, D. (2002). Studies on conservation biology of Swallowtail Butterflies of Kamrup District, Assam.
- Kakati, D and Kalita, J. (2002a). Deforestation and its impacts on Swallowtail butterflies of Garbhanga Reserve Forest, Kamrup.
- Kakati, D and Kalita, J. (2002c) . Diversity and Population Status of Swallowtail Butterflies in Garbhanga Reserve Forest of Kamrup, Assam. *J.Natcon.*14 (2): 237-243.
- Kerr, J.T. 1997. Species richness, endemism and the choice of areas for conservation. *Conservation Biology*. 11: 1094-1100.
- Kerr J.T., R. Vincent and D.J. Currie. 1998. Determinants of Lepidoptera richness in North America. *Ecoscience*. 5: 448-453.
- Kerr, J.T. 2001. Butterfly species richness patterns in Canada Energy; heterogenesity, and the potential consequences of climate change. *Conservation Ecology*. 5(1): 10.Khan,

- Khan, M.S. and K.S. Kushwaha. 1991. Studies on the population build up of white backed plant hopper *Sogatella furcifera* in relation to abiotic factors on six rice varieties in Haryana. *Indian. J.Ent.* 53(1): 93-98.
- Kocher, S.D. and E.H. Williams. 2000. The diversity and abundance of North American butterflies, vary with habitat disturbance and geography. *J. Biogeography*. 27:785-794.
- Kothari, A. 1992. The Biodiversity Conversion: an Indian view point, *Sanctuary*. **12**: 34-43.
- Krebs, C.J. 1972. Ecology The experimental analysis of distribution and abundance. Harper and Row Publishers, London. 694.
- Kultunov, E.V. and E.M. Andreeva. 1999. The abiotic stress as a factor responsible for gypsy moth outbreaks. *J. Appl. Ent.* 123: 633-636.
- Kunte, K.J. 1997. Seasonal patterns in butterfly abundance and species diversity in four tropical habitats in northern Western Ghats. *J. Biosci.* 22: 593-603.
- Kunte, K., A. Joglekar, G. Utkarsh and P. Pramod. 1999. Patterns of butterfly bird and tree diversity in the Western Ghats. *Curr. Sci. India*. **29**: 1-14.
- Kunte, K.J. 2000. Butterflies of Peninsular India. University Press, Hyderabad, India. 26-36.
- Kunte, K. 2005. Species composition, sex-ratios and movement patterns in Danae butterfly migrations in southern India. *J. Bombay Nat. Hist. Soc.* 102(3): 280-286.
- Kunte, K. 2008. The Wildlife (Protection) Act and conservation prioritization of butterflies of the Western Ghats, southwestern India. *Curr. Sci. India*. 94: 729-735.
- Kunte, K. (2010). Rediscovery of the federally protected Scarce Jester Butterfly *Symbrenthia silana* de Nicéville, 1885 (Nymphalidae: Nymphalinae) from the Eastern Himalaya and Garo Hills, northeastern India. *Journal of Threatened Taxa* 2(5): 858–866.
- Kehimkar I. The Book of Indian Butterflies. Bombay Natural History Society and Oxford University Press, Mumbai, India 2014; 497.

- Kuussaari M, Heliölä J, Luoto M, Pöyry J. 2007. Determinants of local species richness of diurnal Lepidoptera in boreal agricultural landscapes. *Agriculture, Ecosystems & Environment* 122:366e376.
- Larsen, t.B. (2004). *Butterflies of Bangladesh – An Annotated Checklist*. IUCN Bangladesh Country Office, Dhaka, 147pp.
- Larsen, T.B. 1987. The butterflies of the Nilgiri mountains of Southern India (Lepidoptera:Rhopalocera) *J. Bom. Nat. His. Soc.* 84(1): 26-54.
- Lewis, O.T., R.J. Wilson and M.C. Harper. 1998. Endemic butterflies on Grande comore: habitat Preferences and conservation priorities. *Biological conservation*. **85**: 113–121.
- Lawton, J.H., E.E. Bignell, B. Bolton, G.F. Bloemers, P. Eggleton, P.M. Hammond, M. Hodda, R.D. Holt, T.B. Larsen, N.A. Mawdsley, N.E. Stork, D.S. Srivastava and A.D. Watt. 1998. Biodiversity inventories, indicator taxa and effects of habitat modification in tropical forest. *Nature (London)*. 391:72-76.
- Lee CM,Ishii M(2009) :Species diversity of ground beetle assemblages at urban greeneries in southern Oska,central Japan.Jpn J Environ Entomol Zool 20:47-58
- Lee CM,Kwon T-S(2013) :Community structure species diversity of insects (ants,ground beetle),and forest health in the Hongneung Forest.Korean for Soc 102:97-106
- Lee CM, Kwon 1-5(2012)Characterization of the butterfly community of a fragmented urban forest,Hongneung Forest Korean J Appl Entomol 51:317-323
- Leps J, Spitzer K. 1990. Ecological determinants of butterfly communities (Lepidoptera, Papilionidae) in the Tam Dao Mountains, Vietnam. *Acta Entomologica Bohemoslovaca* 87: 182–194.
- Lien van Vu. Diversity and similarity of butterflies communities in five different habitat types at Tam Dao National Park Vietnam. *J. of Zoology*. 2009; (227): 15-22.
- Lien van Vu, and con Quang. The differences of butterfly Lepidoptera Papilioidea communities in habitats with various degrees of disturbance and altitudes in tropical forests of Vietnam. *Biodivers. Conserv.* 2011; (12): 1099–1111.

- Losey JE, Vaughan M. 2006. The economic value of ecological services provided by insects. *BioScience* 56:311e323.
- Ludwig, J.A. and J.F. Reynolds. 1988. Statistical ecology: a primer on methods and computing. John Wiley and Sons, Inc USA. 337.
- Majumder, J.R.Lodh and B, K.Agarwala.2011. Butterfly fauna of Rowa wildlife sanctuary, Tripura, North-East India. Proceedings of National Conference on water, energy and biodiversity with special reference to North-East region 1:266-271.
- Mandal DK, Ghosh SK, Majumder M. 2002. State Fauna Series 7: Fauna of Tripura, (Insecta:Lepidoptera). Part-3. *Zoological Survey of India*: 283-334.
- Mani, M.S.(1986). Butterflies of the Himalaya. Oxford and IBH Publishing Company , New Delhi, Bombay and Calcutta. 181pp.
- Marshall, G.F.L. and L.De Niceville. (1882). Butterflies of India, Burma and Ceylon. Vol-I. Nymphalidae (Danainae, Satyrinae, Elymniinae, Morphinae, Acraeinae). The Calcutta Central press Co.Ltd. 327pp.
- McKinney ML (2002) Urbanization, biodiversity, and conservation. *Bioscience* 52:883–890.
- McKinney ML (2006) Urbanization as a major cause of biotic homogenization. *Biol Conserv* 127:247–260.
- McKinney ML (2008) Effects of urbanization on species richness: a review of plants and animals. *Urban Ecosyst* 11:161–176
  
- McNeely, J.A. 2003. Biodiversity and regions values and perceptions. *J. Arid Environ.* 54:61-70.
- Marks, R.J. 1977. The influence of climatic factors on catches of the red bollworm *Diparopsis castanea* Hampson (Lepidoptera: Noctuidae) in sex pheromone traps. *Bull ent. Res.* 67: 243-248.
- Mathew, G. and V.K. Rahamathulla. 1993. Studies on the butterflies of Silent valley National park, *Entomon*. 18(3-4): 185-192.

- Menendez, R., A. Gonzalez-Megias, Y. Collingham, R. Fox, D.B. Roy, R. Ohlemuller and C.D. Thomas. 2007. Direct and indirect effects of climate and habitat factors on butterfly diversity. *Ecology*. 88: 605-611.
- Motegi N, Yanai S (2005) A study on the characteristics of bird distribution in rooftop vegetation in Tokyo Ward. *Jpn Inst Landscape Architecture* 68:597–600
- Michael, P. 1986. Ecological methods for field and laboratory investigations. Tata McGraw –Hill Pub. Comp. Ltd., New Delhi. 404.
- Moore, F. (1890–1892). *Lepidoptera Indica. Vol. I. Rhopalocera. Family Nymphalidae. Sub-families Euploinae and Satyrinae*. Reeve & Co, London, 317pp.
- Moore, F. (1893–1896). *Lepidoptera Indica. Vol. II. Rhopalocera. Family Nymphalidae. Sub-families Satyrinae (continued), Elymniinae, Amathusiinae, Nymphalinae (group Charaxina)*. Reeve & Co, London, 274pp.
- Moore, F. (1896–1899). *Lepidoptera Indica. Vol. III. Rhopalocera. Family Nymphalidae. Sub-families Nymphalinae (continued), groups Potamina, Euthaliina, Limenitina*. Reeve & Co, London, 254pp.
- Moore, F. (1899–1900). *Lepidoptera Indica. Vol. IV. Rhopalocera. Family Nymphalidae. Sub-families Nymphalinae (continued), groups Limenitina, Nymphalina, and Argynnina*. Reeve & Co, London, 260pp.
- Moore, F. (1901–1903). *Lepidoptera Indica. Vol. V. Rhopalocera. Family Nymphalidae. Sub-family Nymphalinae (continued), groups Melitaeina and Eurytelina. Sub-families Acraeinae, Pseudergolinae, Calinaginae, and Libytheinae. Family Riodinidae. Sub-family Nemeobiinae. Family Papilionidae. Sub-families Parnassiinae, Thaidinae, Leptocircinae, and Papilioninae*. Reeve & Co, London, 248pp.
- Moore, F. (1903–1905). *Lepidoptera Indica. Vol. VI. Rhopalocera. Family Papilionidae. Sub-family Papilioninae (continued). Family Pieridae. Sub-family Pierinae*. Reeve & Co, London, 240pp.
- Munguira, M.L. and J.A. Thomas. 1992. Use of road verges by butterfly and burnet populations, and the effect of roads on adult dispersal and mortality. *Journal of*

*Applied Ecology.* 29: 316-329.

- Muralirangan, M.C., P. Suresh and P.P. Dhang. 1993. Observations on the grasshopper species diversity, density and distributional pattern in Peninsular India. *The Entomologist.* 112(3-4): 201-210.
- Myers, N., A. Russell, C. Mittermelert, G. Mittermelert, A. B. Gustavo and K.J. Fonseca. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853-858
- Nasr, E.A., M.R. Tucker and D.G. Campion. 1984. Distribution of moths of the Egyptian cotton leafworm, *Spodoptera littoralis* (Boisduval) (Lepidoptera: Noctuidae) in the Nile Delta intersected from catches in a pheromone trap network in relation to meteorological factors. *Bull. Ent. Res.* 74: 484-494.
- New, T.R. 1991. *Butterfly conservation.* Oxford University Press.
- Naeem S, Thompson LJ, Lawler SP, Lawton JH, Woodfin RM. 1994. Decaling biodiversity can alter the performance of ecosystem. *Nature* 368: 734–736
- Niemelä J, Kotze JD, Venn S, Penev L, Stoyanov I, Spence J, Hartley D, de Oca EM (2002) Carabid beetle assemblages (Coleoptera, Carabidae) across urban–rural gradients: an international comparison. *Landscape Ecol* 17:387–401
- Nimbalkar, R.K., Chandekar, S.K., Khunte, S.P., 2011. Butterfly diversity in relation to nectar food plants from Bhor Tahsil, Pune District, Maharashtra, India. *J. Threat. Taxa* 3(3): 1601-1609.
- Oliver, I. and A.J. Beattie. 1996. Designing a cost-effective invertebrate survey: a test of methods for rapid assessment of biodiversity. *Ecol. Appl.* 6(2): 594 - 607.
- Osawa S, Katsuno T (2005) Distribution pattern of amphibian on rural landscape in the middle reaches of the Oita river, northeast Kyusyu. *Jpn Inst Landscape Architecture* 68:563–566
- Owen, D.F. 1969. Species diversity and seasonal abundance in tropical Sphingidae (Lepidoptera). *proc. R. Ent. Soc. Lond. (A).* 44(10-12): 162-168.

- Öckinger E, Dannestam Å, Smith HG. 2009. The importance of fragmentation and habitat quality of urban grasslands for butterfly diversity. *Landscape and Urban Planning* 93:31e37.
- Öckinger E, Eriksson AK, Smith HG. 2006. Effects of grassland management, abandonment and restoration on butterflies and vascular plants. *Biological Conservation* 133:291e300.
- Öckinger E, Smith HG. 2006. Landscape composition and habitat area affect butterfly species richness. *Oecologia* 149:526e534.
- Parmesan, C., N. Ryrholm, C. Stefanescu, J.K. Hill, C.D. Thomas, H. Descimon, B. Huntley, L. Kaila, J. Kullberg, T. Tammaru, W.J. Tennent, J.A. Thomas and M. Warren. 1999. Poleward shifts in geographical ranges of butterfly species associated with regional warming. *Nature*. 399: 579-583.
- Parmesan, C. 2003. Butterflies as bio indicators for climate change effects. In: C.L. Boggs, W.B. Watt & P.R. Ehrlich (eds.) *Evolution and Ecology Taking Flight: Butterflies as Model Systems*. University of Chicago Press, Chicago. 541-560.
- Peck, S.L., B. Mcquaid and C.L. Campbell. 1998. Using ant species (Hymenoptera: Formicidae) as a biological indicator of agroecosystem condition. *Environ. Entomol.* 27(5): 1102-1110.
- Parsons, r.e. & K. cantlie (1948). The butterflies of the Khasia and Jaintia hills, Assam. *Journal of the Bombay Natural History Society* 47: 498–522.
- Petzoldt, C. and A. Seaman. 1992. Climate change effects on insects and pathogens. *Ann. Rev. Phyto.* 37: 399-426.
- Pollard, E., Yates, T.J. (1993). Monitoring butterflies for ecology and conservation. The British Butterfly Monitoring Scheme. Chapman and Hall, London. 274pp.
- Pollard, E., C.A.M. Van Swaay and T.J. Yates. 1993. Changes in butterfly numbers in Britain and The Netherlands. *Eco. Entomol.* 18: 93-94.
- Price PW. 1997. *Insect Ecology*, 3rd edition. Wiley.

- Radhakrishnan, c., J.r.B. alfred & M.r. rynth (1989). *Butterflies of Shillong and Its Environs*. Science & Technology Cell, Govt of Meghalaya, Shillong, 70pp.
- R. B. Blair, “Birds and butterflies along an urban gradient: surrogate taxa for assessing biodiversity?” *Ecological Applications*, vol. 9, no. 1, pp. 164–170, 1999.
- Raghuraman, M. and R. Veeravel. 1999. Influence of abiotic factors on the incidence of spotted leaf beetle, *Henosepilachna vigintioctopunctata* (F.) in brinjal. *Pest. Man. Horti. Ecosyst.* 5(1): 17-20.
- Ramesh, P., K. Jahir Hussain, M. Selvanayagam, K.K. Satpathy and M.V.R. Prasad. 2010. Patterns of diversity, abundance and habitat associations of butterfly communities in heterogeneous landscapes of the department of atomic energy (DAE) campus at Kalpakkam, South India. *International Journal of Biodiversity and Conservation*. 2(4): 75-85.
- Ramachandran, V.S., B. Shivayogeswar and B.S. Nandihalli. 1997. The influence of ecoclimatic factors on insect population dynamics in Karantaka: a case study at Shimoga. *Kar. J. Agri. Sci.* 10(4): 953-956.
- Roy, D., P. Rothery, D. Moss, E. Pollard and J. Thomas. 2001. Butterfly numbers and weather: predicting historical trends in abundance and the future effects of climate change. *The Journal of Animal Ecology*. 70: 201-207.
- Rodgers, W.A. 1986. The role of fire in the management of wildlife habitats. A review; *Indian forester*. 112: 848.
- Rubèn OA, Ian MF (2009) Living in the big city: effects of urban land-use on bird community structure, diversity, and composition. *Landsc Urban Plan* 90:189–195
- Soubadra Devy, M. and D. Priya. 2001. Response of wet forest butterflies to selective logging in Kalkad – Mundanthurai. Tiger Reserue : Implications for conservation. *Curr.Sci. India*. 80(3): 400-405.
- Saha, S. and D. Raychaudhuri. 1998. Moths (Lepidoptera) of *Buxa tiger reserve*, Jalpaiguri, West Bengal. *Zoos' Print*. (May issue): 24.
- Saharia, D. 1967. *A collection of Butterflies of Assam Agricultural College, Jorhat, Assam*. Journal of the Assam Agricultural College. 87-90.

- Saikia Kakati M, Kalita J, Saikia PK 2010b. Seasonality of Nymphalid butterflies in Rani-Garbhanga Reserve Forest, Assam, India. NeBIO, 1(4):10-21.
- Saikia Kakati Malabika, Kalita Jatin, Saikia, PK. 2010. Seasonality of Nymphalid butterflies in Rani-Garbhanga Reserve Forest, Assam, India. Ne Bio 1(4):10-21.
- Saikia Kakati M, Saikia PK. Katita J. 2009. Ecology & Conservation Needs of Nymphalid Butterflies in Disturbed Tropical Forest of Eastern Himalayan Biodiversity Hotspot, Assam, India. International J Biodiv Conserv 1 (7):231-250.
- Saikia Kakati M, Saikia PK, Kalita J 2007. Diversity and Seasonal variation of Butterflies in Jalukbari, Kamrup Assam. J. Tropical Zoology, 4: 29-41.
- Saikia Kakati M, Saikia PK. 2006. Diversity of Butterflies fauna in Manas Biosphere Reserve, Assam, India. Pp. 44-59, In Rabha, A., Saikia, B. P., Dey, N. K. and Basumatary, C. K. (eds.). Manas, a technical report. Published by Manas Centenary.
- Saikia Kakati M, Kalita J, Saikia PK 2005. Biology of Common Leopard Butterfly *Phalanta phalantha* (*Lepidoptera*) in Assam. J Ecobiol 17(4): 383-392.
- Saikia, MK. 2014. Diversity of tropical butterflies in urban altered forest at Gauhati University Campus, Jalukbari, Assam. Journal of Global Biosciences 3 : 452-463.
- Saxena, A.B. 1996. Ecology of Insects. *Anmol. Pub. Pvt. Ltd.*, New Delhi. 391.
- Scriber J.M., Tsubaki Y., Lederhouse R.C. (eds), Swallowtail Butterflies Their Ecology and Evolutionary Biology. Scientific Publishers. Gainesville. Florida. 1995; p.319–344.
- Schulze, C.H., M. Waltert, P.J.A. Kessler, R. Pitopang, I. Shahabuddin, D. Veddeler, M.Muhlenberg, S.R. Gradstein, C. Leuschner, I. Steffan Dewenter and T. Tscharntke. 2004. Biodiversity indicator groups of tropical land-use systems: comparing plants, birds, and insects. *Ecological Applications*. 14: 1321-1333.
- Scoble, M.J. 1992. The Lepidoptera: Form, Function and Diversity. Natural History Museum Publications. Oxford, New York. Toronto. 416.

- Setamou, M., F. Schulthess, H. Poehling and C. Borgemeister. 2000. Spatial distribution of and sampling plans for *Mussidia nigrivenella* (Lepidoptera : Phyalidae) on cultivated and wild host plants in Benin. *Environ. Entomol.* 29(6): 1216-1225.
- Smetacek, P. 1992. Record of *Plebejuse versmanni* (Stgr.) from India. Journal of the Bombay Natural History Society, 89: 385-386
- Sparrow, H.P., T.D. Sisk, P.R. Ehrlich and D.D. Muray. (1994). Techniques and guidelines for monitoring Neotropical Butterflies. *Conservation Biology*, 8:800-809.
- Sparks, T.H., Parish, T., 1995. Factors affecting the abundance of butterflies in field boundaries in Swavesey Fens, Cambridgeshire, UK. *Biol Conserv* 73:221–227.
- Singh, G.P., R.P. Sinha, S.P. Singh and S.F. Hameed. 1992. Population dynamics and biology of sesamum shoot and leaf webber. *Antigastra catalaunalis* Dub. (Lepidoptera : Pyralidae) *J. Ent. Res.* 16(4): 305-310.
- Spitzer, K., V. Novotny, M. Tonner and J. Leps. 1993. Habitat preferences, distribution and seasonality of the butterflies (Lepidoptera, Papilionoidea) in a montane tropical rain forest, Vietnam. *Journal of Biogeography*. **20**: 109-121.
- Spitzer, K., J. Jaros, Havelka and J. Leops. 1997. Effect of small scale disturbance on butterfly communities of an Indo-chinese montane rain forest. *Biol Conserv.* 80(1): 9-1.
- Smith, R.J., A. Hines, S. Richmond, M. Merrick, A. Drew and R. Fargo. 2000. Altitudinal variation in body size and population density of *Nicrophorus investigator* (Coleoptera : Silphidae). *Environ. Entomol.* 29(2): 290-298.
- Smythe, N. 1982. The seasonal abundance of night flying insects in a neotropical forest. In The Ecology of a Tropical Forest: Seasonal Rythms and long term changes. Smithsonian Institute Press. Washington, D.C. 309-318.
- South Wood, T.R.E. and P.A. Henderson. 2000. Ecological methods. Blackwell Science Ltd. 462.
- Srygley, R.B. and P. Chai. 1990. Flight morphology of neotropical butterflies : Palatability and distribution of mass to the thorax and abdomen. *Oecologia*. **84**: 491 –

499.

- Steffan-Dewenter, I. and T. Tscharntke. 1997. Early succession of butterfly and plant communities on set – aside fields. *Oecologica*. 109: 294-302.
- Stephens, M.J., C.M. France and S.D. Wratten. 1996. Increasing the biodiversity of an orchard understory to enhance biological control of leaf-rollers (Lepidoptera: Tortricidae) Proc. New Zealand Inst. *Agri. Sci. and Soc. Hort.Sci.* **1**: 22.
- Stefferud, A. 1976. Insects – The yearbook of Agriculture. Oxford and IBH Publishing Co.,New Delhi. 780..
- Soubadra Devy, M. and D. Priya. 2001. Response of wet forest butterflies to selective logging in Kalkad – Mundanthurai. Tiger Reserue : Implications for conservation. *Curr.Sci. India*. 80(3): 400-405.
- Summerville, K.S. and T.O. Crist. 2001. Constrasting effects of habitat quantity and quality on moth communities in fragmented land scapes. *Ecography*. **27**: 3-12.
- Summerville, K.S., L.M. Ritter and T.O. Crist. 2004. Forest moth taxa as indicators of lepidopteran richness and habitat disturbance: a preliminary assessment. *Biological Conservation*. **116**: 9-18.
- Shubhalaxmi, V. & Chaturvedi, N. (1999). Abundance and distribution of Moths of the Families Saturnidae and Sphingidae in Sanjay Gandhi National Park, Mumbai. *Journal of Bombay Natural History Society* 96(3):379-386.
- Swengel, A.B. 1998. Effects of management on butterfly abundance in tall grass praire and pine baren. *Biol. Conserve*. 83(1): 77-89.
- swinhoe, c. (1893). A list of the Lepidoptera of the Khasia Hills. Part I. *Transactions of the Entomological Society of London* 1893(41): 267–330.
- swinhoe, c. (1896). New species of Lepidoptera from Khasia Hills. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology* (6)17: 357–363.

- swinhoe, c. (1905–1910). *Lepidoptera Indica. Vol. VII. Rhopalocera. Family Pieridae* [printed in error: “Family Papilionidae”]. *Sub-family Pierinae (continued). Family Lycaenidae. Sub-families Gerydinae, Lycaenopsinae and Everinae.* Reeve & Co, London, 286pp.
- swinhoe, c. (1910–1911). *Lepidoptera Indica. Vol. VIII. Rhopalocera. Family Lycaenidae. Sub-families Lycaeninae, Plebeinae, Lampidinae, Chrysopaninae, Poritiinae, Amblypodiinae, Curetinae, Liphyrinae, Ruralinae.* Reeve & Co, London, 293pp.
- swinhoe, c. (1911–1912). *Lepidoptera Indica. Vol. IX. Rhopalocera. Family Lycaenidae (continued). Sub-families Horaginae, Deudorixinae, Hypolycaeninae, Zesiusinae, Aphnaeinae, Biduandinae, Cheritrinae, Loxurinae. Family Hesperiidae. Sub-families Ismeneinae, Achalarinae.* Reeve & Co, London, 278pp.
- swinhoe, c. (1912–1913). *Lepidoptera Indica. Vol. X. Rhopalocera. Family Hesperiidae (concluded). Sub-families Celaenorrhinae, Hesperiinae, Pamphilinae, Astictopterinae, Suastinae, Erionotinae, Matapinae, Notocryptinae, Plastingiinae, Erynninae.* Reeve & Co, London, 364pp.
- Tanaka, L.K. and S.K. Tanaka. 1982. Rainfall and seasonal changes in arthropod abundance on tropical oceanic, Island. *Biol tropica.* **14:** 114-123.
- Tauber, M.J., C.A. Tauber, J.P. Nyrop and M.G. Villani. 1998. Moisture, a vital but neglected factor in the seasonal ecology of insects: Hypothesis and tests of mechanisms. *Environ. Entomol.* **27(3):** 523-530.
- Taylor, L.R. and E.S. Brown. 1972. Effects of light trap design and illumination on samples of moths in the Kenya highlands. *Bull. Ent. Res.* **62:** 91-112.
- Talbot, G. (1939). The fauna of British India including Ceylon and Burma, Butterfly-Vol-I. Taylor and Francis Ltd., London. 600pp.
- Talbot, G. (1947). The fauna of British India including Ceylon and Burma, Butterfly-Vol-II. Taylor and Francis Ltd., London. 506pp
- Thomas JA. 1995. The ecology and conservation of Maculinea arion and other European species-of large blue butterfly. In: Pullin AS, Editor. *Ecology and Conservation of Butterflies.* pp. 180-210. Chapman and Hall.

- Thomas CD, Cameron A, Green RE, et al. 2004. Extinction risk from climate change. *Nature* 427:145e148.
- Thomas JA. 2005. Monitoring change in the abundance and distribution of insects using butterflies and other indicator groups. *Philosophical Transactions of the Royal Society B* 360:339e357
- Thomas CD, Malorie HC. 1985. Rarity, species richness, and conservation: Butterflies of the Atlas Mountains in Morocco. *Biological Conservation* 33: 95–117.
- Tilman D, Wedin D, Knops J. 1996. Productivity and sustainability influenced by biodiversity in grassland ecosystem. *Nature* 379: 718–720.
- Tikkannen, O.P., T.G. Carr and H. Roinen. 1999. Factors influencing the distribution of generalist spring- feeding moth *Operophtera brunata* (Lepidoptera: Geometridae) on host plants. *Environ. Entomol.* **28(3)**: 461-469.
- Tiple, A.D.,(2011) Butterflies of Vidarbha region Maharashtra, India; a review with and implication for conservation. *Journal of Threatened Taxa* 3(1): 1469–1477.
- Tiple AD, Deshmukh VP, Dennis RLH. 2006. Factors influencing nectar plant resource visits by butterflies on a university campus: implications for conservation. *Nota Lepidopteralogica* 28:213e224.
- Tytler, h.c. (1911). Notes on butterflies from the Naga Hills. Part I. *Journal of the Bombay Natural History Society* 21: 48–65.
- Tytler, h.c. (1914). Notes on some new and interesting butterflies from Manipur and the Naga Hills. Part I. *Journal of the Bombay Natural History Society* 23: 216–229.
- Varshney, R.K. and Chanda, S.K.(1971).Butterflies of the North-Eastern India, Indian Museum Bulletin.Vol. VI. No.1.
- Young, M. 1997. The natural history of moths. T and A Poyser, London. U.K. 271.
- Vanclay, J.K. 1992. Species richness & Productive Forest Management. Proc. Oxf. Con. Trop. forests. In: *Biodiversity and Environment*. Agarwal, S.K., S. Trewali and P.S.Dubey (eds.), A. P. H. Pub. Corp., New Delhi, India. 18–31.

- Veddeler, D., C. Schulze, I. Steffan-Dewenter, D. Buchori and T. Tscharntke. 2005. The contribution of tropical secondary forest fragments to the conservation of fruitfeeding butterflies: effects of isolation and age. *Biodiversity and Conservation*. 14: 3577-3592.
- Wallner, W.E. 1987. Factors affecting insect population dynamics: Difference between outbreak and non-outbreak species. *Ann. Rev. Entomol.* 32: 317-340.
- Ward, J.V. 1992. Aquatic insect ecology : Biology and habitat. John Wiley and Sons. Inc. New York, 438
- Wolda, H. 1978. Seasonal fluctuations in rainfall, food and abundance of tropical insects. *Journal Animal Ecology*. 47: 369–381.
- Wolda, H. 1981. Similarity indices, Sample Size and Diversity. *Oecologia (Berl)*. 50: 296-302.
- Wolda, H. 1988. Insect seasonality: why? *Annual Review of Ecology and Systematics*. 19: 1–18.
- Wolda, H. and M. Wong. 1988. Tropical insect diversity and seasonality. Sweep samples vs. light-traps. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen. Serie C*. 91: 203 - 216.
- Wolda, H. 1989. Seasonal cues in tropical organisms. Rainfall? Not necessarily! *Oecologia*. 80: 437–442.
- Wolda, H & F. W. Fisk (1981). Seasonality of tropical insects. II. Blattaria in Panama. *Journal of Animal Ecology* 50: 827-838.
- Wood, B. and M.P. Gillman. 1998. The effects of disturbance on Forest butterflies using two methods of sampling in Trinidad *Biodiversity and Conservation*. 7: 597 – 616.
- Watt WB, Boggs CL. 2003. Synthesis: butterflies as model systems in ecology and evolution-present and future. In: Boggs CL, Watt WB, Ehrlich PR, editors. Butterflies: ecology and evolution taking flight. Chicago: The University of Chicago Press. pp. 603e613.
- Wilson, R.A.C., B.J. Radford, L.N. Robertson, G.B. Simpson and K.L. Bell. 1999. Reduced tillage increases population density of soil macrofauna in a semiarid environment in Central Queensland. *Environ. Entomol.* 28(2): 163-172.
- Wood- Mason J, De Niceville L. 1887. List of the Lepidopteran insects collected in Cachar by Mr. J. Wood- Mason. J As Soc Bengal 55( 4) (1886): 343-393.

- Wood- Mason J. 1882. Description of two new species of Papilio from North- Eastern India. *Ann Mag Nat Hist Ser* 9(5): 103- 105.
- Wermelinger, B. and M. Seifert. 1999. Temperature-dependent reproduction of the spruce bark beetle Ips typographus, and analysis of the potential population growth. *Ecol. Entomol.* 24: 103-110.
- Wynter-Blyth, M.A.1957. Butterflies of the Indian Region ,Bombay Natural History Society . Mumbai, India.523pp. bark beetle Ips typographus, and analysis of the potential population growth. *Ecol.Entomol.* 24: 103-110.
- Yamamoto, N., J. Yokoyama and M. Kawata. 2007. Relative resource abundance explains butterfly biodiversity in island communities. *Proceedings of the National Academyof Sciences of the United States of America.* 104: 10524-10529.
- Young, M. 1997. The natural history of moths. T and A Poyser, London. U.K. 271.